

植物研究雜誌

THE JOURNAL OF JAPANESE BOTANY

第66卷

第1号～第6号

平成3年1月～12月

Vol. 66 (Nos. 1～6)

January～December

1991

津村研究所

Tsumura Laboratory

TOKYO

編 集 員

Members of Editorial Board

柴 田 承 二 (Shoji SHIBATA)

編集員代表 (Editor-in-Chief)

千 原 光 雄 (Mitsuo CHIHARA)
岩 槻 邦 男 (Kunio IWATSUKI)
金 井 弘 夫 (Hiroo KANAI)
木 村 陽二郎 (Yojiro KIMURA)
黒 川 道 (Syo KUROKAWA)
大 橋 広 好 (Hiroyoshi OHASHI)
岡 田 稔 (Minoru OKADA)
山 崎 敬 (Takasi YAMAZAKI)

伊 藤 洋 (Hiroshi ITO)
門 田 裕 一 (Yuichi KADOTA)
柏 谷 博 之 (Hiroyuki KASHIWADANI)
小 林 義 雄 (Yoshio KOBAYASHI)
三 浦 宏一郎 (Koichiro MIURA)
大 場 秀 章 (Hideaki OHBA)
津 山 尚 (Takasi TUYAMA)

第66卷（平成3年）著者索引

（*印を付したものは短報）

（C）

陳 心啓 → 中田政司

千原光雄 → 恵良田眞由美

曹 英鎬：日本産ヤブタバコ属 8 種 1 変種の核型分析…………… 26

（E）

恵良田眞由美，千原光雄：日本産クリプト藻類（2）. クロオモナスの3種…………… 7

（F）

藤原真紀 → 邑田裕子

（H）

半田信司 → 竹下俊治

——，中野武登，竹下俊治：北海道標津の樹皮着生藻類…………… 211

洪 徳元 → 中田政司

星比呂志 → 大橋広好

（I）

池谷祐幸 → 大橋広好

——，大橋広好：バラ科ナシ亜科ナナカマド連における果実の解剖学的構造と進化…………… 319

——，——：カマツカ属（バラ科）とカナメモチ属…………… 352

稲田 昭 → 邑田裕子

井之口希秀 → 中山至大

伊藤 洋：新種アシタカカナワラビ（オシダ科）…………… 191

伊藤浩司 → 中井秀樹

岩槻邦男：コケシノブ類の分類に関する研究Ⅷ. ソテツホラゴケ亜属…………… 134

岩月善之助 → 岡本達哉； → 竹下俊治

（K）

角野康郎：*タチモ陸生形の殖芽…………… 301

—— → 中村俊之

門田裕一：アズミトリカブト—長野県産トリカブト属の新種…………… 39

金井弘夫：宮城県における普通植物の分布…………… 83

——：移動式おしば標本棚の得失…………… 176

——：パソコンによる地域分布図用白地図の作製…………… 181

小松かつ子 → 難波恒雄

久米 修 → 中村俊之

栗田子郎 → 渡辺幹男

黒川 遼：ウメノキゴケ科の日本産の種と属…………… 152

（M）

御影雅幸 → 難波恒雄

本村みのぶ → 邑田裕子

邑田裕子 → 邑田 仁

——，内山裕子，本村みのぶ，藤原真紀，稲田 昭，中西 勤，邑田 仁：ヒサカキの1集団における性表現と花部形態の変異…………… 229

邑田 仁 → 邑田裕子	
——, 邑田裕子, 大野順一: *テンナンショウ属植物 <i>Arisaema wattii</i> Hook. f. と <i>A. nepenthoides</i> (Wall.) Mart.	301
(N)	
中井秀樹, 伊藤浩司: オオバナエンレイソウとその類品, また, スイフンエンレイソウの学名 ...	53
中村俊之, 久米 修, 角野康郎: *四国のカンサイガタコモウセンゴケ	126
中西 勤 → 邑田裕子	
中野武登 → 半田信司; → 竹下俊治	
中田政司, 洪 徳元, 邱 均専, 内山 寛, 田中隆荘, 陳 心啓: 中国産野生キク属(広義)の細胞遺伝学的研究. I) <i>Dendranthema vestitum</i> (ウラゲノギク)の核型.....	199
中山至大, 井之口希秀: *橙黄色の果実をもつモミジカラスウリの分布	249
難波恒雄, 小松かつ子, 山路誠一, 御影雅幸: チベット薬物の生薬学的研究(第5報)モウセンゴケ属に由来する“rTag-ngu”および“Sum-cu tig”	235
ナヤール M. P. → プレディーブ S. V.	
西田治文 → 西田 誠; → 大澤毅守	
西田 誠 → 大澤毅守; → 渡辺幹男	
——, 西田治文, 大澤毅守: 北日本及びサハリンの白亜紀産石化植物VI. スギ科球果の新属新種 <i>Yezosequoia shimanukii</i>	280
(O)	
大橋広好: <i>Desmodium heterocarpon</i> (L.) DC. の分類学的問題	14
—— → 池谷祐幸	
——, 星比呂志, 池谷祐幸: ナナカマド属ハゴロモナナカマド類の分類と花粉形態	110
大場秀章: ベンケイソウ属の2新分類群.....	63
——: * <i>Galium elegans</i> f. <i>glabriusculum</i> の提唱	304
—— → 鈴木三男	
——, ラジバンダリ, K. R. 武 素功: <i>Carex microglochis</i> (カヤツリグサ科)の分類学上の位置.....	172
大野順一 → 邑田 仁	
大澤毅守 → 西田 誠	
——, 西田治文, 西田 誠: 北日本及びサハリンの白亜紀産石化植物VII. 北海道白亜系産マツ科の球果.....	356
岡田 博: マレーシア湿潤熱帯産カワゴケソウ科植物2種 <i>Cladopus nymanii</i> と <i>Indotristicha malayana</i> の核形態学的研究	205
岡田 稔 → 寺林 進	
岡本達哉, 岩月善之助: 日本新産の地衣, トゲウロコイボゴケ(新称)	292
(P)	
プレディーブ S. V., ナヤール M. P.: ノササゲ属(マメ科)新知見.....	275
(Q)	
邱 均専 → 中田政司	
(R)	
ラジバンダリ K. R. → 大場秀章	

(S)	
柴田承二：正倉院薬物調査研究補遺Ⅰ。「人參」について	1
——：正倉院薬物調査研究補遺Ⅱ。「大黃」について	70
——：正倉院薬物調査研究補遺Ⅲ。「甘草」について	127
清水建美：タイ国産ツリフネソウ属 <i>Impatiens</i> の新種 (1)	166
杉原美德：セイヨウヒノキとシダレイトスギの雄性配偶子について	224
杉山明子：SEM によるヤブツバキの花の初期発生の観察	295
鈴木三男，大場秀章：日本産コナラ属とその近縁種の材化石の再検討	255
鈴木貞夫：日本タケ科植物新知見 (8)	194
(T)	
田中隆荘 → 中田政司	
竹下俊治 → 半田信司	
——，半田信司，中野武登，岩月善之助：地衣類サビイボゴケ (<i>Brigantiaea ferruginea</i>) の共生藻	147
沢岷安喜 → 山崎 敬	
寺林 進，岡田 稔：モクレン属ハクモクレン亜属数種の枝の解剖学的特徴	76
(U)	
内山裕子 → 邑田裕子	
内山 寛 → 中田政司	
(W)	
渡辺幹男，西田 誠，栗田子郎：アズマザサ属の雑種起源の研究	160
武 素功 → 大場秀章	
(Y)	
山路誠一 → 難波恒雄	
山本幸憲：日本産真性粘菌雑記Ⅰ. リケア属の1新種	12
山崎 敬：ハコネコメツツジの葯の裂開構造	35
——：アジア産ヤエムグラ属数種の分類学的検討	49
——：琉球からのイソマツ属の1新種	131
——：キツネノマゴ，キツネノヒマゴ及びキツネノメマゴについて	369
——：*シマイズセンリョウとオーガストノキについて	58
——：*日本に帰化しているナガボソウ属の学名	59
——：*アマミイケマについて	60
——：*ペラペラヨメナの和名	61
——：*ツルギミツバツツジについて	125
——：*ケルリソウとチョウセンカメバソウについて	245
——：*キンモクセイ，ギンモクセイ，ウスギモクセイについて	246
——：*アリサンアイ，オキナワスズムシソウ，セイタカスズムシソウについて	303
——：*日本のクロマメノキには2変種がある	306
——，沢岷安喜：琉球からのナス属の1新種イラブナスビ	46
吉村 衛：*ウコンの短日処理による開花	249
ニュース	
岩槻邦男：「植物標準名目録」について	251

常谷幸雄：ブッソウゲという名の由来…………… 251
 金井弘夫：チュリア・マハバラートの旅（その1）…………… 311
 木村陽二郎：横浜植物会と東京植物同好会 … 189；眞砂久哉さんと紀州のナチュラルリストたち … 307

新刊

島袋敬一：琉球列島維管束植物集覧 …… 62. 森 和男：中国秘境に咲く花 …… 62. Watanabe M. and Malla S. B. (ed.) : Cryptogams of the Himalayas. Vol. 2. Central and eastern Nepal … 62. Shibata S. et al. : Recent advances in ginseng studies …… 62. 朱 有昌（主編）：東北薬用植物 …… 189. 小林義雄：幻覚菌物語 …… 189. Wagner W. L. et al. : Manual of the flowering plants of Hawaii …… 190. Chadwick D. J. and Marsh J. (ed.) : Bioactive compounds from plants …… 253. 謝 宗万：中薬材品種論述上冊 …… 253. Lindstrom S. C. and Gabrielson P. W. (ed.) : Thirteenth International Seaweed Symposium …… 254. 内藤 喬：鹿児島民俗植物記（復刻版）…………… 254. 曲 澤洲：北京果树志 …… 254. 大和市教育委員会（編）：大和市の植物 …… 318. Miede G. : Langtang Himal. Flora und Vegetation als Klimazeiger und -zeugen im Himalaya …… 374. Bhandari M. M. : Flora of the Indian Desert, Revised ed. …… 374.

第66巻正誤 Errata in Vol. 66

号 (No.)	頁 (page)	行 (line)	誤 (For)	正 (Read)
1	46	↓ 7L	沢抵安喜	沢岷安喜
2	123	↓ 17L	× <i>kawashiroi</i>	× <i>rikuchuensis</i>
5	Contents	↓ 3L	OHTA	OHBA

Author Index to Vol. 66 (1991)

(The sign * indicates Note)

(C)

CHEN Sing-chi → NAKATA Masashi

CHIHARA Mitsuo → ERATA Mayumi

CHO Young-Ho: Karyotype analysis of eight species and one variety of *Carpesium*
(Compositae) 26

(E)

ERATA Mayumi and CHIHARA Mitsuo: Cryptomonads in Japan (2). Three species of
Chroomonas 7

(F)

FUJIWARA Maki → MURATA Hiroko

(H)

HANDA Shinji → TAKESHITA Shunji

———, NAKANO Taketo and TAKESHITA Shunji: Some corticolous algae from Shibetsu,
Hokkaido, northern Japan 211

HONG De-yuan → NAKATA Masashi

HOSHI Hiroshi → OHASHI Hiroyoshi

(I)

IKETANI Hiroyuki → OHASHI Hiroyoshi

——— and OHASHI Hiroyoshi: Anatomical structure of fruits and evolution of the tribe
Sorbeae in the subfamily Maloideae (Rosaceae) 319

———, ———: *Pourthiaea* (Rosaceae) distinct from *Photinia* 352

INADA Akira → MURATA Hiroko

INOKUCHI Marehide → NAKAYAMA Shidai

ITO Hirosi: A new species of *Arachnoides* (Aspidiaceae) from Japan 191

ITO Koji → NAKAI Hideki

IWATSUKI Kunio: Studies in the systematics of filmy ferns VIII. *Cephalomanes* Presl subgen.
Cephalomanes 134

IWATSUKI Zennoske → OKAMOTO Tatsuya; → TAKESHITA Shunji

(K)

KADONO Yasuro: *Turion of terrestrial form of *Myriophyllum ussuriense* (Regel) Maxim. 301

——— → NAKAMURA Toshiyuki

KADOTA Yuichi: *Aconitum azumiense* (Ranunculaceae), a new species from Nagano Prefecture,
central Japan 39

KANAI Hiroo: Distribution of popular plants in the Miyagi Prefecture, north Japan 83

———: Advantages and disadvantages of compacter herbarium shelves 176

———: How to produce a blank map for local distribution map of personal computer 181

KOMATSU Katsuko → NAMBA Tsuneo

KUME Osamu → NAKAMURA Toshiyuki

KURITA Siro → WATANABE Mikio	
KUROKAWA Syo: Japanese species and genera of the Parmeliaceae	152
(M)	
MIKAGE Masayuki → NAMBA Tsuneo	
MOTOMURA Minobu → MURATA Hiroko	
MURATA Hiroko → MURATA Jin	
———, UCHIYAMA Hiroko, MOTOMURA Minobu, FUJIWARA Maki, INADA Akira, NAKANISHI Tsutomu and MURATA Jin: Variation of sex expression and flower structure in a population of <i>Eurya japonica</i> Thunb.	229
MURATA Jin → MURATA Hiroko	
———, MURATA Hiroko and OHNO Jun'ichi: <i>*Arisaema wattii</i> Hook. f. and <i>A. nepenthoides</i> (Wall.) Mart., Araceae	300
(N)	
NAKAI Hideki and ITO Koji: Nomenclature on <i>Trillium camschatcense</i> Ker-Gawler and <i>T. komarovii</i> H. Nakai et Ko. Ito	53
NAKAMURA Toshiyuki, KUME Osamu and KADONO Yasuro: <i>*Drosera spathulata</i> Labil. subsp. <i>tokaiense</i> Komiya in Shikoku, Japan	126
NAKANISHI Tsutomu → MURATA Hiroko	
NAKANO Taketo → HANDA Shinji; → TAKESHITA Shunji	
NAKATA Masashi, HONG De-yuan, QUI Jin-zhuan, UCHIYAMA Hiroshi, TANAKA Ryuso and CHEN Sing-chi: Cytogenetic studies on wild <i>Chrysanthemum</i> (sensu lato) in China. 1) Karyotype of <i>Dendranthema vestitum</i>	199
NAKAYAMA Shidai and INOKUCHI Marehide: <i>*Distribution of Trichosanthes multiloba</i> Miq. bearing orange-yellow fruits	249
NAMBA Tsuneo, KOMATSU Katsuko, YAMAJI Seiichi and MIKAGE Masayuki: Pharmacognostical studies of the Tibetan crude drugs (5). On "rTag-ngu" and "Sum-cu tig" derived from <i>Drosera</i> plants	235
NAYAR M.P. → PREDEEP S.V.	
NISHIDA Harufumi → NISHIDA Makoto; → OHSAWA Takeshi	
NISHIDA Makoto → OHSAWA Takeshi; → WATANABE Mikio	
———, NISHIDA Harufumi and OHSAWA Takeshi: Structure and affinities of the petrified plants from the Cretaceous of northern Japan and Saghalien VI: <i>Yezosequoia shimanukii</i> gen. et sp. nov., a petrified taxodiaceous cone from Hokkaido	280
(O)	
OHASHI Hiroyoshi: Taxonomic studies in <i>Desmodium heterocarpon</i> (L.) DC. (Leguminosae) ...	14
——— → IKETANI Hiroyuki	
———, HOSHI Hiroshi and IKETANI Hiroyuki: Taxonomy and pollen morphology of hybrids between <i>Sorbus</i> and <i>Micromeles</i> in the genus <i>Sorbus</i> (Rosaceae subfamily Maloideae)	110
OHBA Hideaki: Two new taxa of <i>Hylotelephium</i> from Japan (Crassulaceae)	63

————— : * <i>Galium elegans</i> f. <i>glabriusculum</i> , a new combination	304
————— → SUZUKI Mitsuo	
————— , RAJBHANDARI K. R. and Sun-gung WU: Taxonomic status of <i>Carex microglochis</i> Wahlenb. (Cyperaceae)	172
OHNO Jun'ichi → MURATA Jin	
OHSAWA Takeshi → NISHIDA Makoto	
————— , NISHIDA Harufumi and NISHIDA Makoto: Structure and affinities of the petrified plants from the Cretaceous of Northern Japan and Saghalin VII. A petrified pinaceous cone from the Upper Cretaceous of Hokkaido	356
OKADA Hiroshi: Karyomorphological studies of <i>Cladopus nymanii</i> H. Moll. and <i>Indotristicha</i> <i>malayana</i> Dransf. et Whitmore (Podostemaceae sensu lato) from Malesian wet tropics	205
OKADA Minoru → TERABAYASHI Susumu	
OKAMOTO Tatsuya and IWATSUKI Zennoske: <i>Squamacidia janeirensis</i> (Lichenes), newly found in Japan	292
(P)	
PREDEEP S. V. and NAYAR M. P.: Novelites in the genus <i>Dumasia</i> DC. (Leguminosae – Papilionoideae)	275
(Q)	
QUI Jin-zhuan → NAKATA Masashi	
(R)	
RAJBHANDARI K. R. → OHBA Hideaki	
(S)	
SHIBATA Shoji: Supplement to the scientific investigation of the crude drugs stored in Shosoin. I. "Ginseng"	1
————— : Supplement to the scientific investigation of the crude drugs stored in Shosoin. II. "Rhubab"	70
————— : Supplement to the scientific investigation of the crude drugs stored in Shosoin. III. "Licorice"	127
SHIMIZU Tatemi: New species of the Thai <i>Impatiens</i> (1)	166
SUGIHARA Yoshinori: On male gametes in <i>Cupressus sempervirens</i> L. and <i>C. funebis</i> Endl.	224
SUGIYAMA Mitsuko: Scanning electron microscopy observation on early ontogeny of the flower of <i>Camellia japonica</i> L.	295
SUZUKI Mitsuo and OHBA Hideaki: A revision of fossil woods and its allies in Japan	255
SUZUKI Sadao: New or noteworthy plants of Japanese Bambusaceae (8)	194
(T)	
TANAKA Ryuso → NAKATA Masashi	
TAKESHITA Shunji → HANDA Shinji	
————— , HANDA Shinji, NAKANO Taketo and IWATSUKI Zennoske: Phycobionts of	

<i>Brigantiaea ferruginea</i> (Lichens)	147
TAKUSHI Anki → YAMAZAKI Takasi	
TERABAYASHI Susumu and OKADA Minoru: Branch anatomy in <i>Magnolia</i> subgenus <i>Yulania</i>	76
(U)	
UCHIYAMA Hiroko → MURATA Hiroko	
UCHIYAMA Hiroshi → NAKATA Masashi	
(W)	
WATANABE Mikio, NISHIDA Makoto and KURITA Siro: On presumed hybrid origin of the genus <i>Sasaella</i> Makino (Bambusaceae)	160
WU Sun-gung → OHBA Hideaki	
(Y)	
YAMAJI Seiichi → NAMBA Tsuneo	
YAMAMOTO Yukinori: Notes on Japanese Myxomycetes I. A new species of <i>Licea</i>	12
YAMAZAKI Takasi: Morphological structure of the anther of <i>Tsusiophyllum tanakae</i> Maxim.	35
———: Notes on the infraspecific taxa of <i>Galium</i> in Eastern Asia	49
———: A new species of <i>Limonium</i> from Ryukyu	131
———: On <i>Justicia procumbens</i> L. and <i>J. hayatae</i> Yamamoto	369
———: *On <i>Maesa tenera</i> Mez and <i>M. augustinii</i> (Nakai) Tuyama	58
———: *Scientific name for <i>Stachytarpheta</i> naturalized in Japan	59
———: *On <i>Cynanchum wilfordii</i> var. <i>amamianum</i> Hatusima	60
———: *On Japanese name of <i>Erigeron karvinskianus</i> DC	61
———: *On <i>Rhododendron lagopus</i> Nakai var. <i>tsurugisanense</i> Yamaz.	125
———: *On <i>Trigonotis radicans</i> (Turcz.) Steven and <i>T. nakaii</i> Hara	245
———: *Wild and cultivated plants of <i>Osmanthus fragrans</i> Lour. in Japan	246
———: *On <i>Strobilanthes flexicaulis</i> Hayata, <i>S. tashiroi</i> Hayata and <i>S. glandulifera</i> Hatusima	303
———: *Two varieties of <i>Vaccinium uliginosum</i> L. found in Japan	306
——— and TAKUSHI Anki: A new species of <i>Solanum</i> from Ryukyu	46
YOSHIMURA Mamoru: *A short-day treatment on <i>Curcuma domestica</i> Valetton (Zingiberaceae) ..	249
News	
IWATSUKI Kunio: On “Lists of plant names in current use”	251
JOTANI Yukio: History of naming of “Bussoge”	251
KANAI Hiroo: Botanical trip to Churia and Mahabarat Ranges, central Nepal (1)	311
KIMURA Yojiro: Botanical Club of Yokohama and Botany Club of Tokyo.....	189;
Hisaya MANAGO (1930–1989) and some naturalists of Kii Peninsula, central Japan	307
Book review See Japanese contents.	