

岡市(旧朝日村)大鳥, 大鳥川荒沢ダム下流 $38^{\circ}30'26''\text{N}$ ,  $139^{\circ}47'12''\text{E}$ . 27 Sep. 2006. S. Kikuchi (TUS 335806); 大鳥, 西大鳥川 $38^{\circ}27'50''\text{N}$ ,  $139^{\circ}45'45''\text{E}$ . 26 Sep. 2006 (TUS 335810); 大鳥, 東大鳥川,  $38^{\circ}26'45''\text{N}$ ,  $139^{\circ}47'41''\text{E}$ . 7 Sep. 2006. S. Kikuchi (TUS 335807; Fig. 1), loc. cit.  $38^{\circ}24'53''\text{N}$ ,  $139^{\circ}48'55''\text{E}$ . 7 Sep. 2006. S. Kikuchi (TUS 335809); 小国町大石橋付近, 荒川岸 $38^{\circ}12'36''\text{N}$ ,  $139^{\circ}50'31''\text{E}$ . 28 Sep. 2006. S. Kikuchi (TUS 335811; Fig. 2).

この報告は, 独立行政法人森林総合研究所鈴木和次郎博士に文献と福島県のユビソヤナギ標本について, 岩手大学人文社会科学部竹原明秀博士に文献に関して, 秋田県立博物館阿部裕紀子氏に標本借用で, それぞれお世話になりまとめることができた。お礼を申し上げる。

#### 引用文献

- 藤原陸夫 1996. 秋田県植物目録. 第8版. 秋田植生研究会, 秋田県湯沢市.  
 — 2000. 秋田県植物分布図 第2版. 秋田県環境と文化のむら協会, 秋田県五城目町.  
 —, 松田義徳, 阿部裕紀子 2002. 秋田県植物目録. 第10版. 秋田植生研究会, 湯沢市.  
 Kimura A. 1973. *Salicis nova species ex regione Okutonensi in Japonia*. J. Jpn. Bot. **48**: 321–326.

- 木村有香 1989. ヤナギ科. 佐竹義輔, 原 寛, 巨理俊次, 富成忠夫 (編): 日本の野生植物 木本 **I**: 31–51. 平凡社, 東京.  
 坂奈穂子, 井出雄二 2005. 利根川最上流部にてユビソヤナギを確認. プランタ (97): 47–50.  
 鈴木和次郎 2004. リレー連載レッドリストの生き物たち 16 希少樹種ユビソヤナギ. 林業技術 (746): 32–33.  
 —, 菊地 賢 2006. 福島県只見川水系における絶滅危惧種ユビソヤナギの分布と川畔林の組成・構造. 保全生態学研究 **11**: 85–93.  
 只見町教育委員会(鈴木和次郎, 菊地 賢) 2006. 福島県只見川水系における希少樹種ユビソヤナギの生態と遺伝. 只見町文化財調査報告書第14集.  
 竹原明秀 1995. 和賀川上流のヤナギ林およびユビソヤナギの分布. 自然誌研究年報 **1**: 11–21 (長野生物研究所).  
 竹原明秀, 内藤俊彦 1986. 宮城県内のユビソヤナギ. 植物研究雑誌 **61**: 127–128.

( $^{\circ}980-0862$  仙台市青葉区川内  
 東北大学植物園津田記念館,  
 $^{\circ}305-8687$  つくば市松の里1  
 独立行政法人 森林総合研究所,  
 $^{\circ}350$  ██████████ 埼玉県鶴ヶ島市 ██████████  
 $^{\circ}253$  ██████████ 神奈川県茅ヶ崎市 ██████████)

## Hideaki OHBA: New Names of in Genus *Cerasus* (Rosaceae–Amygdaloideae) サクラ属の新学名 (大場秀章)

Summary: I prepared the text of an illustrated book, 'Flowering cherries, new edition', published by Yama-kei Publishers Co Ltd., Tokyo in March, 2007. I published 23 new names of flowering cherries in this book. After publishing this, I found two of these were already published by K. Yonekura in J. Jpn. Bot. Vol. 80 (2005). I announce here these new names, corrections and some additional remarks.

1) *Cerasus* × *amedama* H. Ohba in H. Ohba & al., Flowering Cherries, new ed.,

[102], 253 (2007).

*Prunus incisa* Thunb. var. *globosa* Kawas. in J. Jpn. Bot. **36**: 170 (1961).

Japanese name: Amedama-zakura.  
 (アメダマザクラ)

This, found at Manazuru Cape, near Odawara, Kanagawa Prefecture, central Honshu, is presumed to be a natural hybrid between *Cerasus incisa* (Thunb.) Loisel. and *C. speciosa* (Koidz.) H. Ohba, and differs from the former by the glabrous, longer petioles. and the longer petals ca. 1.6 cm long. The epithet comes from a Japanese word

meaning globose-shaped candy.

2) **Cerasus apetala** (Siebold & Zucc.) Ohle ex H. Ohba var. **tetsuyae** H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [88], 253 (2007).

*Cerasus apetala* var. *apetala* auct. non (Siebold & Zucc.) H. Ohba: H. Ohba in K. Iwats. & al., Fl. Jap. **2b**: 130 (2001).

*Prunus apetala* (Siebold & Zucc.) Franch. & Sav. sensu Ohwi, Fl. Jap. ed. Engl.: 543 (1965).

A typo foliis apice caudato-acuminatis et calycis tubo basi satis inflato differt.

Description see Ohba (2001).

**Type:** Japan. Honshu: Nagano Pref., Karuizawa, Usui Pass (H. Hara & S. Kurosawa s. n., 3 May 1973, TI-holo).

Japanese name: Chôji-zakura.

(チヨウジザクラ)

*Cerasus apetala* consists of three local varieties. The type of *Cerasedos apetala* Siebold & Zucc. [Herb. Siebold, L-0176026] belongs to the variation range of one of these, which has been known as var. *monticola* (Kawas. & H. Koyama) H. Ohba. The epithet of the variety was dedicated to Tetsuya Kawasaki, a taxonomist specialising on flowering cherries.

3) **Cerasus carmesina** (H. Hara) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [20], 253 (2007).

*Prunus carmesina* H. Hara in J. Jpn. Bot. **43**: 46 (1968).

4) **Cerasus ×chichibuensis** (H. Kubota & Moriya) H. Ohba f. **kamafuseana** (H. Kubota & Moriya) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [246], 253 (2007).

*Prunus ×chichibuensis* H. Kubota & Moriya f. *kamafuseana* H. Kubota & Moriya in Bull. Chichibu Mus. Nat. Hist. (12): 37 (1964).

Japanese name: Maruba-chichibu-zakura.

(マルバチチブザクラ)

5) **Cerasus incisa** (Thunb.) Loisel. f. **urceolata** (Koidz.) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [74], 253 (2007).

*Prunus incisa* Thunb. var. *urceolata* Koidz. in Bot. Mag. Tokyo **30**: 77 (1916).

Japanese name: Ôbana-mame-zakura.

(オオバナマメザクラ)

This is a form with extremely large flowers and incised calyx-lobes, and known to occur in an area from Gotenba to Manazuru Cape through Hakone, on the Pacific Ocean side of central Honshu.

6) **Cerasus incisa** (Thunb.) Loisel. f. **plena** (Satomi) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [74], 253 (2007).

*Prunus kinkiensis* Koidz. f. *plena* Satomi in J. Geobot. (Kanazawa) **7**: 10 (1958).

Japanese name: Yaeno-kinki-mame-zakura.

(ヤエノキンキマメザクラ)

7) **Cerasus incisa** (Thunb.) Loisel. var. **longipes** (Kawas.) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [241], 253 (2007).

*Prunus incisa* Thunb. var. *longipes* Kawas. in J. Jpn. Bot. **36**: 170 (1961).

Japanese name: Nagae-no-mame-zakura.

(ナガエノマメザクラ)

8) **Cerasus incisa** (Thunb.) Loisel. f. **viridicalyx** (Satomi) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [76], 253 (2007).

*Prunus incisa* Thunb. var. *kinkiensis* Koidz. f. *viridicalyx* Satomi in J. Geobot. (Kanazawa) **10**: 12 (1961).

Japanese name: Midori-kinki-mame-zakura.

(ミドリキンキマメザクラ)

9) **Cerasus leveilleana** (Koehne) H. Ohba f. **plena** H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [213], 253 (2007).

[*Prunus verecunda* (Koidz.) Koehne f. *plena* H. Kubota in Collecting and Breeding **17**: 104, 105 (tab.) (1955), nom. nud.]

A typo floribus plenis differt.

**Type:** H. Kubota in Collecting and Breeding **17**: tab in p. 105 (1955). The illustration was made from a tree collected from Kataoka-mura, near Matsumoto-shi, Nagano Pref., central Honshu.

Japanese name: Yaeno-kasumi-zakura.  
(ヤエノカスミザクラ)

10) **Cerasus leveilleana** (Koehne) H. Ohba f. **intermedia** (Nakai) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [58], 253 (2007).

*Prunus verecunda* (Koidz.) Koehne var. *intermedia* Nakai in Bot. Mag. Tokyo **47**: 12 (1933).

Japanese name: Asagiri-zakura.  
(アサギリザクラ)

11) **Cerasus leveilleana** (Koehne) H. Ohba f. **kashioensis** (H. Kubota & Moriya) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [58], 253 (2007).

*Prunus verecunda* (Koidz.) Koehne var. *kashioensis* H. Kubota & Moriya in J. Geobot. (Kanazawa) **17**: 40 (1969), ut *kishioensis*.

Japanese name: Kashio-zakura.  
(カシオザクラ)

This is a form with pilose styles.

12) **Cerasus leveilleana** (Koehne) H. Ohba f. **norioi** (Ohwi) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [58], 253 (2007).

*Prunus leveilleana* Koehne f. *norioi* Ohwi in J. Jpn. Bot. **27**: 148 (1952).

Japanese name: Kataoka-zakura.  
(カタオカザクラ)

13) **Cerasus majestica** (Koehne) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [16], 253 (2007).

*Prunus majestica* Koehne in Sarg., Pl. Wilson. **1**: 252 (1912).

14) **Cerasus** × **mitsuminensis** (Moriya) H. Ohba nothovar. **apetaloides** (H. Kubota & Moriya) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [103], 253 (2007).

*Prunus incisa* Thunb. var. *bukosanensis* (Honda) H. Hara f. *apetaloides* H. Kubota & Moriya in Bull. Chichibu Mus. Nat. Hist. (11): 54 (1962).

Japanese name: Ke-bukô-mame-zakura.  
(ケブコウマメザクラ)

15) **Cerasus** × **naganoi** (H. Kubota & Moriya) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [98], 253 (2007).

*Prunus* × *naganoi* H. Kubota & Moriya in Bull. Chichibu Mus. Nat. Hist. (11): 53 (1962).

Japanese name: Tomoe-zakura.  
(トモエザクラ)

16) **Cerasus nipponica** (Matsum.) Masam. & S. Suzuki var. **kurilensis** (Miyabe) H. Ohba f. **hayashii** (Yanagita) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [82], 253 (2007).

*Prunus kurilensis* (Miyabe) Takeda var. *hayashii* Yanagita in J. Jpn. Bot. **12**: 421 (1936).

Japanese name: Birôdo-chishima-zakura.  
(ビロウドチシマザクラ)

17) **Cerasus sargentii** (Rehder) H. Ohba f. **angustipetala** (Miyoshi) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [211], 253 (2007).

*Prunus sachalinensis* (F. Schimdt) Miyoshi f. *angustipetala* Miyoshi in J. Coll. Sci. Imp. Univ. Tokyo **34**(1): 79 (1916).

Japanese name: Kuchinashi-zakura.  
(クチナシザクラ)

18) **Cerasus sargentii** (Rehder) H. Ohba f. **pendula** (Honda) Yonek. in J. Jpn. Bot. **80**: 324 (2005); H. Ohba in H. Ohba & al., Flowering Cherries, new ed., 211, 254 (2007), as f. *pendula* (Honda) H. Ohba.

*Prunus sargentii* Rehder var. *pendula* Honda in Bot. Mag. Tokyo **54**: 2 (1940).

Japanese name: Shidare-ôyama-zakura.  
(シダレオオヤマザクラ)

19) **Cerasus speciosa** (Koidz.) H. Ohba f. **idzuensis** (Nakai) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [64], 254 (2007).

*Prunus idzuensis* Nakai, Iconogr. Pl. As.Orient. **5**(2): 480, f. 151 (1952).

Japanese name: Shiokaze-zakura.  
(シオカゼザクラ)

20) **Cerasus speciosa** (Koidz.) H. Ohba f. **sempilena** (Makino) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [64], 254 (2007).

*Prunus lannesiana* (Carrière) var. *speciosa* (Koidz.) Makino f. *sempilena* Makino in J. Jpn. Bot. **7**: 18 (1931).

Japanese name: Usugasane-ôshima.  
(ウスガサネオオシマ)

21) **Cerasus speciosa** (Koidz.) H. Ohba f. **plena** H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [64], 254 (2007).

[*Prunus lannesiana* (Carrière) var. *speciosa* (Koidz.) Makino f. *plena* Y. Kimura in Misc. Inf. Tokyo Univ. Forest. (7): 10 (1949), nom. nud.].

A typo floribus plenis differt.

**Type:** Japan. Honshu. Shizuoka Pref.: Izu Arbicultural Research Station, Tokyo University. (Yôjiro Kimura s. n., TI-holo).

Japanese name: Yae-no-ôshima-zakura.  
(ヤエノオオシマザクラ)

22) **Cerasus tama-clivorum** (Oohara, Seriz. & Wakab.) Yonek. in J. Jpn. Bot. **50**: 324 (2005); H. Ohba in H. Ohba & al., Flowering Cherries, new ed., 100, 254 (2007), as (Oohara, Seriz. & Wakab.) H. Ohba.

*Prunus tama-clivorum* Oohara, Seriz. & Wakab. in J. Jpn. Bot. **79**: 343 (2004).

Japanese name: Hoshi-zakura.  
(ホシザクラ)

23) **Cerasus ×yanashimana** (H. Kubota & Moriya) H. Ohba in H. Ohba & al., Flowering Cherries, new ed., [104], 254 (2007).

*Prunus tschonokii* Koehne var. *yanashimana* H. Kubota & Moriya in Bull. Chichibu Mus. Nat. Hist. (11): 55 (1962).

Japanese name: Narusawa-zakura.  
(ナルサワザクラ)

山と溪谷社が2007年3月に発行した、‘新日本の桜’の解説を担当した際、必要に迫られ23の新学名を同書にて発表した。しかし、そのうち2学名は後に本誌80巻(2005)で米倉浩司氏がすでに新組合せを発表していることが判った。‘新日本の桜’は日本語の書籍でもあり、今後の命名上の混乱を避けるなどの理由から、注意を喚起するためここに採録させていただくことにした。併せてスペースの関係で同書にては記述できなかった分類に係わる重要事項を記した。

(University Museum, University of Tokyo  
東京大学総合研究博物館)